
Appl. No. 10/781,316



## Amendments to the Specification:

Please replace the paragraph beginning on line 8 of page 29 with the following amended paragraph:

## Example 1

Into 200 parts by weight of toluene, 100 parts by weight of a copolymer of acrylic esters having a weight-average molecular weight of 1,200,000 (the unit of butyl acrylate: 97% by weight and the unit of acrylic acid: 3% by weight), 0.05 parts by weight of an adduct of trimethylpropane trimethylolpropane and tolylene diisocyanate as the crosslinking agent and 0.5 parts by weight of 2,6-di-tert-butyl-p-cresol as the phenol derivative were added and a solution of an adhesive was prepared.

Please replace the first paragraph on page 32 with the following amended paragraph:

## Example 8

Into 300 parts by weight of toluene, 100 parts by weight of the copolymer of acrylic esters which was used in Example 1, 50 parts by weight of a homopolymer of butyl acrylate having a Appl. No. 10/781,316

weight-average molecular weight of 50,000, 0.05 parts by weight of an adduct of trimethylpropane trimethylolpropane and tolylene diisocyanate as the crosslinking agent and 0.5 parts by weight of 2,6-di-tert-butyl-p-cresol as the phenol derivative were added and a solution of an adhesive was prepared.

Please replace the paragraph beginning on line 7 of page 33 with the following amended paragraph:

## Example 10

Into 200 parts by weight of toluene, 100 parts by weight of a copolymer of acrylic esters having a weight-average molecular weight of 1,200,000 (the unit of butyl acrylate: 97% by weight and the unit of acrylic acid: 3% by weight), 0.05 parts by weight of an adduct of trimethylpropane trimethylolpropane and modified tolylene diisocyanate as the crosslinking agent and 0.1 part by weight of 2,6-di-tert-butyl-p-cresol as the radical scavenger of a phenolic antioxidant were added and a solution of an adhesive was prepared.